



TKS-104c-SCHUBL

Rugged Keyboard / Drawer Combination

This aesthetically appealing mounting variant of the TKS input system is suited for the use in 19" systems. Due to the low height of 1 RU (1 rack unit = 44.45 mm) it requires very little space. The extracted drawer has an angle of 15° which allows an easy operation in standing position.

| Cat. No. | Product Description | | Pointing Device | Protection Level | Dimensions (mm) | Weight |
|----------|-------------------------|------|-----------------|------------------|--------------------|--------|
| KS18343 | TKS-104c-SCHUBL-PS/2-US | 1 RU | None | IP65 | 482.6 x 280 x 43.7 | 5000 g |
| KS18345 | TKS-104c-SCHUBL-USB-US | 1 RU | None | IP65 | 482.6 x 280 x 43.7 | 5000 g |

Technical Data

| | |
|------------------------|--------------------------------|
| Switching Technology: | Short Travel Keys |
| Switching Force: | 2.6 N |
| Switch Travel: | 0.3 mm |
| Switching Cycles: | Approx. 3 Mio. (per key) |
| Housing Design: | 19" drawer (1 RU) |
| Frontpanel Material: | Aluminium |
| Operating Temperature: | -25 °C to + 70 °C ¹ |
| Storage Temperature: | -25 °C to + 80 °C |

Technical Data of the Integrated Touchpad

| | |
|----------------------|-------------|
| Operating Principle: | Capacitive |
| Resolution: | 100-300 dpi |
| Dimensions: | 65 x 49 mm |
| Active Surface: | 59 x 42 mm |

¹ Keyboards with pointing device: 0 °C to +70 °C



Foil Covered Industrial Keyboards - TKS(c) Rack Mounting Series



Edited with the trial version of Foxit Reader Editor

To remove this notice, visit: www.foxitsoftware.com/shopping

